

# Alinity h-series Control 29P

REF 04U7206

REF 04U7212

**CONTROL L N H**


Exp. 2022-07-01

SYSTEM	CONTROL L		CONTROL N		CONTROL H	
	LOT	L21089	LOT	N21089	LOT	H21089
PARAMETER	TARGET	± RANGE **	TARGET	± RANGE **	TARGET	± RANGE **
WBC 10 <sup>9</sup> /L	3.06	0.56	7.03	1.26	16.4	3.1
NEU 10 <sup>9</sup> /L	1.37	0.27	3.37	0.64	8.36	1.60
%N	44.8	6.0	48.0	5.0	51.1	6.0
LYM 10 <sup>9</sup> /L	0.94	0.20	1.85	0.50	3.61	1.00
%L	30.7	8.0	26.4	6.0	22.1	5.0
MONO 10 <sup>9</sup> /L	0.35	0.20	0.73	0.40	1.80	0.60
%M	11.6	6.0	10.4	5.0	11.0	3.0
EOS 10 <sup>9</sup> /L	0.10	0.10	0.20	0.17	0.46	0.19
%E	3.00	3.00	2.79	2.00	2.83	1.00
BASO 10 <sup>9</sup> /L	0.10	0.10	0.25	0.25	0.50	0.50
%B	1.50	1.50	1.50	1.50	1.50	1.50
RBC 10 <sup>12</sup> /L	2.82	0.25	4.22	0.39	5.19	0.83
HGB g/dL	7.54	0.30	11.9	0.5	16.1	0.8
HCT %	23.4	3.4	36.4	5.4	48.1	11.8
MCV fL	82.9	7.0	86.2	7.5	92.7	9.2
MCH pg	26.7	2.6	28.1	2.6	31.1	4.9
MCHC g/dL	32.2	4.9	32.6	5.0	33.5	7.8
RDW %	16.2	2.5	17.0	2.5	16.1	2.5
NRBC 10 <sup>9</sup> /L*	0.01	0.01	0.01	0.01	2.33	0.60
NR/W*	0.20	0.20	0.08	0.08	14.2	2.5
PLT 10 <sup>9</sup> /L	69.9	20.0	220	50	483	62
MPV fL	6.97	2.00	6.94	2.00	6.95	2.00
RETIC 10 <sup>9</sup> /L	235	50	165	50	138	50
%R	8.33	1.50	3.92	1.00	2.66	0.80
IRF	0.71	0.18	0.54	0.14	0.34	0.10
IG 10 <sup>9</sup> /L	0.29	0.11	0.82	0.22	1.99	0.43
%IG	9.63	3.40	11.6	3.0	12.2	2.2
%rP	9.63	2.00	8.85	1.70	8.99	1.60
MChr pg	26.6	2.7	29.2	3.3	35.5	4.2

SYSTEM	CONTROL L		CONTROL N		CONTROL H	
	LOT	L21089	LOT	N21089	LOT	H21089
PARAMETER	TARGET	± RANGE **	TARGET	± RANGE **	TARGET	± RANGE **
WBC 10 <sup>9</sup> /L	3.07	0.72	7.10	0.78	16.3	1.5
NEU 10 <sup>9</sup> /L	1.34	0.50	3.31	0.69	8.19	1.45
%N	43.6	4.7	46.7	4.0	50.1	3.8
LYM 10 <sup>9</sup> /L	0.95	0.35	1.90	0.41	3.61	0.62
%L	30.8	3.6	26.7	2.7	22.1	1.7
MONO 10 <sup>9</sup> /L	0.37	0.19	0.77	0.32	1.81	0.55
%M	12.0	3.0	10.9	3.1	11.1	2.1
EOS 10 <sup>9</sup> /L	0.10	0.10	0.20	0.09	0.46	0.14
%E	3.00	3.00	2.81	0.87	2.82	0.53
BASO 10 <sup>9</sup> /L	0.10	0.10	0.25	0.25	0.50	0.50
%B	1.50	1.50	1.50	1.50	1.50	1.50
RBC 10 <sup>12</sup> /L	2.80	0.25	4.19	0.32	5.11	0.53
HGB g/dL	7.57	0.40	11.9	0.4	16.2	0.5
HCT %	24.1	3.4	37.2	4.9	48.9	7.9
MCV fL	85.9	4.2	88.9	4.7	95.7	5.0
MCH pg	27.0	4.1	28.5	3.4	31.7	4.8
MCHC g/dL	31.4	7.2	32.1	6.4	33.1	7.9
RDW %	12.7	1.2	13.1	0.9	12.1	2.1
NRBC 10 <sup>9</sup> /L*	0.01	0.01	0.01	0.01	2.35	0.45
NR/W*	0.20	0.20	0.08	0.08	14.4	1.3
PLT 10 <sup>9</sup> /L	68.5	22.0	211	18	456	50
MPV fL	9.24	0.41	9.26	0.33	9.29	0.42
RETIC 10 <sup>9</sup> /L	229	36	157	32	122	45
%R	8.16	0.50	3.75	0.43	2.39	0.53
IRF	0.44	0.12	0.33	0.07	0.21	0.03
IG 10 <sup>9</sup> /L	0.31	0.19	0.84	0.29	2.12	0.73
%IG	10.3	3.1	11.9	2.5	13.0	3.1
%rP	10.3	1.7	9.01	0.63	9.07	0.42
MChr pg	23.9	3.0	27.1	2.3	33.3	4.6

