


Alinity h-series Control 29P

REF 04U7206

REF 04U7212

CONTROL L N H

 Exp. 2024-08-23

SYSTEM	CONTROL L		CONTROL N		CONTROL H	
	Alinity hq ≤ v4.3 †					
	LOT	L41629	LOT	N41629	LOT	H41629
PARAMETER	TARGET	± RANGE **	TARGET	± RANGE **	TARGET	± RANGE **
WBC 10 ⁹ /L	2.98	0.56	6.91	1.26	15.9	3.1
NEU 10 ⁹ /L	1.27	0.27	3.27	0.64	8.36	1.60
%N	42.5	6.0	47.3	5.0	52.5	6.0
LYM 10 ⁹ /L	1.02	0.20	1.87	0.50	3.28	1.00
%L	34.3	8.0	27.1	6.0	20.6	5.0
MONO 10 ⁹ /L	0.34	0.20	0.82	0.40	1.86	0.60
%M	11.5	6.0	11.9	5.0	11.7	3.0
EOS 10 ⁹ /L	0.10	0.10	0.19	0.17	0.48	0.19
%E	3.00	3.00	2.73	2.00	3.04	1.00
BASO 10 ⁹ /L	0.10	0.10	0.25	0.25	0.50	0.50
%B	1.50	1.50	1.50	1.50	1.50	1.50
RBC 10 ¹² /L	2.86	0.25	4.14	0.39	5.02	0.83
HGB g/dL	7.58	0.30	11.6	0.5	15.8	0.8
HCT %	23.2	3.4	34.7	5.4	45.0	11.8
MCV fL	81.1	7.0	83.7	7.5	89.7	9.2
MCH pg	26.5	2.6	28.1	2.6	31.4	4.9
MCHC g/dL	32.7	4.9	33.6	5.0	35.1	7.8
RDW %	16.1	2.5	16.1	2.5	16.0	2.5
NRBC 10 ⁹ /L*	0.01	0.01	0.01	0.01	2.22	0.60
NR/W*	0.20	0.20	0.08	0.08	13.9	2.5
PLT 10 ⁹ /L	66.1	20.0	204	50	463	62
MPV fL	7.13	2.00	7.14	2.00	7.14	2.00
RETIC 10 ⁹ /L	236	50	159	50	125	50
%R	8.27	1.50	3.84	1.00	2.50	0.80
IRF	0.62	0.18	0.51	0.14	0.36	0.10
IG 10 ⁹ /L	0.25	0.11	0.69	0.22	1.79	0.43
%IG	8.35	3.40	10.1	3.0	11.2	2.2
%rP	9.80	2.00	8.95	1.70	9.17	1.60
MCHr pg	26.5	2.7	29.6	3.3	35.8	4.2

SYSTEM	CONTROL L		CONTROL N		CONTROL H	
	Alinity hq ≥ v5.0 †					
	LOT	L41629	LOT	N41629	LOT	H41629
PARAMETER	TARGET	± RANGE **	TARGET	± RANGE **	TARGET	± RANGE **
WBC 10 ⁹ /L	3.03	0.96	7.03	1.04	16.2	2.0
NEU 10 ⁹ /L	1.28	0.60	3.31	0.85	8.38	1.80
%N	42.4	6.2	47.1	5.3	51.9	5.0
LYM 10 ⁹ /L	1.03	0.47	1.88	0.53	3.35	0.80
%L	34.2	4.8	26.8	3.6	20.7	2.2
MONO 10 ⁹ /L	0.35	0.25	0.85	0.40	1.92	0.70
%M	11.6	4.0	12.1	4.1	11.9	2.8
EOS 10 ⁹ /L	0.10	0.10	0.19	0.15	0.49	0.18
%E	3.00	3.00	2.73	1.16	3.03	0.71
BASO 10 ⁹ /L	0.10	0.10	0.25	0.25	0.50	0.50
%B	1.50	1.50	1.50	1.50	1.50	1.50
RBC 10 ¹² /L	2.84	0.34	4.15	0.43	5.08	0.70
HGB g/dL	7.61	0.54	11.7	0.6	15.7	0.7
HCT %	24.2	3.4	36.4	5.1	47.7	8.7
MCV fL	85.0	5.6	87.6	6.2	94.0	6.6
MCH pg	26.8	4.1	28.1	3.4	31.0	4.8
MCHC g/dL	31.5	7.2	32.1	6.4	33.0	7.9
RDW %	12.2	2.5	12.4	2.5	12.3	2.5
NRBC 10 ⁹ /L*	0.01	0.01	0.01	0.01	2.27	0.50
NR/W*	0.20	0.20	0.08	0.08	14.0	1.8
PLT 10 ⁹ /L	64.6	30.0	200	24	462	66
MPV fL	9.29	2.00	9.29	2.00	9.28	2.00
RETIC 10 ⁹ /L	232	50	155	45	120	58
%R	8.17	1.50	3.74	1.00	2.35	0.80
IRF	0.35	0.18	0.29	0.14	0.20	0.10
IG 10 ⁹ /L	0.26	0.23	0.73	0.35	1.88	0.91
%IG	8.59	4.10	10.5	3.3	11.6	4.1
%rP	10.6	2.2	8.95	0.90	9.00	0.60
MCHr pg	23.3	2.7	26.8	3.3	32.2	4.2

